

# TOWN OF GREENLAND

## EPA MS4 Permit - Section 6.6 – MCM #6

Good Housekeeping and Pollution Prevention for  
Permittee-Owned Facilities

### Operations, Maintenance and Procedures

Permit Part 2.3.7

Year 1 & 2 Requirements



[Photos: Town Hall and Liberty Hill Nature Trails]

**Prepared By:**

Rockingham Planning Commission

June 30, 2020

## PERMITTEE OWNED FACILITIES

### SECTION 1: BMP: PARKS AND OPEN SPACES OPERATIONS AND MAINTENANCE PROCEDURES

**Description:** The Town of Greenland has established procedures to address the proper use, storage, and disposal of pesticides, herbicides, and fertilizers (PHF) including minimizing the use of these products in accordance with manufacturer’s instructions; trash management; pet waste disposal; waterfowl management; and erosion and poor vegetative cover and as outlined in Section 2.3.7.1 a. of the MS4 permit.

#### **1.1 - MUNICIPAL PARKS AND OPEN SPACE INVENTORY**

The following is a list of properties covered by these procedures and include all municipal and county facilities where fertilizers are stored, mixed, applied, recycled, or disposed of, and at municipal properties in which lawns or vegetation are mowed, trimmed, and maintained (e.g. parks, golf courses, and open space properties) located within the MS4 area. This inventory shall be updated annually during Stormwater Management Plan (SWMP) review and update process. The O&M document is included as part of the Stormwater Management Plan which is required to be updated every year per section 2.3.7.1.

**Table 1.1 Maintenance Details for Municipally Managed Parks and Actively Managed Open Space**

Park/Open Space	Address/Location	Services Contracted	Lawn Mowing	Landscaping	Fertilizing	Pesticide/Herbicide	Trash mgmt.	Pet waste mgmt.	Waterfowl mgmt.	Other maintenance
Caswell Park	59 Bayside Road	X	X	X	X	X	X	X		Turf Irrigation
Gazebo and Park	Church Lane	X	X	X	X	X	X			Turf Irrigation
Remembrance Park	Post Road	X	X	X	X	X	X			Turf Irrigation
Rolston Park	2 Riverside Lane	X	X	X	X	X	X	X		
Town Park	12 Post Road	X	X	X	X	X	X			
Maloney Field	143 Post Road	X	X	X	X	X	X	X		Turf Irrigation
Krasko Park	Behind Town Hall									Turf Irrigation

*See municipally owned vacant/undeveloped lands and Conservation Lands listed in Attachment 1.*

**Responsible Department/Parties: Town of Greenland**

#### **Training**

Annual maintenance procedures training will be made available to employees involved in Parks and Open Spaces operations. All contractors involved in Parks and Open Spaces operations

are provided the information in this section of the SWMP. Example training video used for staff training purposes: <https://www.youtube.com/watch?v=6eD29UBINqE&feature=youtu.be>

## **Best Management Practices**

The following best management practices (BMPs) aim to minimize the concentration of nitrogen and phosphorus in stormwater runoff:

### **1.2 - LAWN MAINTENANCE**

#### **Landscape Maintenance**

- Mulch-mow grasses whenever possible; grass clippings are a natural fertilizer.
- Sweep grass clippings from sidewalks or streets back onto grassy areas.
- Dispose of organic wastes by composting whenever possible. When composting is not possible, dispose of organic wastes at an approved disposal facility. In both cases, ensure that runoff from sites does not enter a waterway.
- • Avoid washing down or disposal of lawn clippings, leaves, tree trimmings, or other landscape waste in a storm drain, drainage ditch, or open body of water.
- Consider landscape design that utilizes native, drought tolerant vegetation.
- Maintain all irrigation systems so that irrigation uses the minimum amount of water possible, is applied evenly, and does not run off. Repair broken or leaking sprinkler heads as soon as possible.

#### **Application of Fertilizers**

- Properly calibrate all fertilizer application equipment to ensure proper application rate.
- Time the application of fertilizers to coincide with the manufacturer's recommendation for best results.
- Consider using fertilizers with low or no levels of phosphorus.
- Consider use slow release fertilizers.
- Avoid application of fertilizers when heavy rainfall or winds are expected.
- Avoid over application fertilizers. Proper application per manufacturer instructions per MS4 permit section 2.3.7.1.a.
- Use the appropriate manufacturers suggested lbs/acre rate possible.
- Do not apply fertilizers or pesticides in or near any drainage areas or stormwater management structures. Proper application per manufacturer instructions per MS4 permit section 2.3.7.1.a.

#### **Storage and Handling of Fertilizers**

- Store and mix fertilizers inside a covered area that has an impervious (i.e. hard or paved) surface, preferably indoors, so that spills or leaks will not contact soils or waters.
- Avoid handling or disposal of fertilizers, pesticides, herbicides, or fungicides in or near storm drains, irrigation ditches, or surface water.
- Dispose of excess or leftover chemicals according to the instructions on the label, preferably on the target pest, vegetated area, or as hazardous waste.

- Ensure that spill kits and absorbents are available in the event of a spill. Clean up any spills or leaks of fertilizers promptly using appropriate cleanup methods. Part of a Spill Prevention Plan per MS4 permit section 2.3.7.1.b.
- Avoid mixing more fertilizer than is required for the immediate job.

### **Trash Management**

- Routinely pick up any trash bags left along trails, parks, or streets.
- Empty trash cans and dumpsters regularly.
- Keep lids on all trash cans and dumpsters. BMP per MS4 permit section 2.3.7.1.b

### **Pet Waste Cleanup (where these facilities are provided) BMPs per MS4 permit section 2.3.7.1.a**

- Post signs in areas concerning the proper disposal of pet wastes.
- Provide pet waste bags and waste containers at all parks, trailheads, and open space properties.
- Collect pet waste in a bag, and deposit it in a trashcan or dumpster.

### **Waterfowl Waste Management**

The town does not own or manage any surface water bodies where waterfowl management is necessary.

### **Erosion and Poor Vegetative Cover**

- Install temporary sediment and erosion control stabilization measures as needed.
- Re-establish grass or native plants, especially within 50 ft of a surface water.

**Measurable Goal(s): Implement the BMP's on 100% of the parks and open spaces.**

## **SECTION 2: BMP: BUILDINGS AND FACILITIES OPERATIONS AND MAINTENANCE PROCEDURES**

**Description:** Evaluate the use, storage, and disposal of petroleum products and other potential stormwater pollutants. Provide employee training as necessary, ensure that Spill Prevention Plans are in place. Develop management procedures for dumpsters and other waste management equipment. Sweep lots and areas surrounding the facilities clean to reduce runoff of pollutants in accordance with Section 2.3.7.1 b. of the MS4 permit.

### **2.1 - MUNICIPAL BUILDINGS AND FACILITIES INVENTORY**

The following is a list of properties covered by these procedures and include all schools, municipal offices, police and fire stations, municipal pools, parking garages, etc. located within the MS4 area. This inventory shall be updated annually during SWMP review. The O&M document is included as part of the Stormwater Management Plan which is required to be updated every year (refer to MS4 Permit section 2.3.7.1 on page 51).

**Table 2.1: Details for Municipally Managed Buildings and Facilities**

<b>Building/ Facility</b>	<b>Address/ Location</b>	<b>Services Contracted</b>	<b>Trash mgmt.</b>	<b>Building Maintenance</b>	<b>Pollutant Storage</b>	<b>Petroleum Storage</b>	<b>Other maintenance:</b>
Central School	70 Post Road	X	X	X			
Fire Station	11 Town Square	X	X	X			
Hillside Cemetery	541 Portsmouth Ave.	X	X	X			
Police Station	16 Town Square	X	X	X			
Town Hall Complex	11-13 Town Square	X	X	X			
Public Works Garage	11-13 Town Square	X	X	X	X		
Highway Maintenance Garage	15 Town Square	X	X	X	x		
Transfer Station	44 Cemetery Lane	X	X	X			
Weeks Library	36 Post Road	x	x	x			

Note: Hillside Cemetery and Prospect Hill Cemetery are under the jurisdiction and management of the Cemetery Trustees.

**Responsible Department/Parties:      Town of Greenland**

**Training**

Annual maintenance procedures training will be made available to employees involved in Municipal Building and Facilities operations. All contractors involved in Building and Facilities operations are provided access to the information in this section of the SWMP.

**Best Management Practices**

The following best management practices (BMPs) will be implemented at all municipally owned or operated buildings and facilities located within the MS4 area:

**2.2 - HANDLING, STORAGE, TRANSFER, AND DISPOSAL OF TRASH AND RECYCLABLES**

All liquid and solid waste must be disposed of properly. Some of the most common sources of pollution at municipal facilities are a result of littering, improper collection of debris, and improper disposal of solid or liquid waste.

- All waste and recycling receptacles must be leak-tight with tight-fitting lids or covers.
- Keep lids on dumpsters and containers closed at all times unless adding or removing material.
- Do not locate dumpsters over or adjacent to catch basins.

- Clean up any hazardous liquid leaks or spills with dry cleanup methods.
- Arrange for waste or recycling to be picked up regularly and disposed of at approved disposal facilities.
- Avoid placing hazardous materials, liquids, or liquid-containing wastes in a dumpster or recycling or trash container.
- Conduct periodic inspections of solid and liquid waste storage areas to check for leaks and spills.
- Locate dumpsters on a flat, impervious surface and install protective a perimeter barrier if located in proximity to a catch basin or water body or if runoff from the dumpster drains to a catch basin or water body.
- Clean and sweep up around outdoor waste containers regularly.
- Conduct periodic inspections of work areas to ensure that all wastes are being disposed of properly.
- In dumpster areas, regularly pick up surrounding trash and debris and regularly sweep the area.
- Confined spill kit should be on hand and available.

### **2.3 - BUILDING MAINTENANCE**

- Sweep parking lots and keep areas surrounding facilities clean to reduce runoff of pollutants.
- Streets and parking lots surrounding municipal buildings and facilities should be swept and kept clean to reduce runoff of pollutants and debris to the stormwater system.
- When sanding, painting, power washing, etc., ensure that sites are properly prepared (e.g., use tarps) and cleaned (e.g., use dry cleaning methods) especially near storm drains. Protect catch basins when maintenance work is conducted upgradient of them.
- When conducting exterior building maintenance and improvements such as painting, use a drop cloth and clean up any spills promptly.
- Avoid leaving open containers on the ground where they may accidentally tip over.
- Buildings should be routinely inspected for areas of potential release of pollutants and to ensure stormwater capture and management systems are operating properly.
- Confined spill kit should be on hand and available.

### **2.4 - STORAGE OF PETROLEUM PRODUCTS AND POTENTIAL POLLUTANTS**

- Evaluate the use, storage and disposal of petroleum products and other potential stormwater pollutants.
- Routinely inspect buildings and facilities for areas of potential discharges or leaks.

## **2.5 - SPILL RESPONSE**

- Ensure that spill prevention plans are in place (these should be included for maintenance garages, public works yards, transfer stations and other waste handling facilities see individual SWPPPs).
- Notify the facility's supervisor immediately and ensure that other staff are aware of the spill and removed from the spill area as appropriate.
- Coordinate with fire department as necessary.
- For large oil spills, NHDES Petroleum Spill Response program will be notified promptly at (603) 271-3644 and an emergency response contractor would be called in.
- Materials and equipment necessary for spill cleanup may include but are not limited to brooms, dust pans, mops, rags, gloves, goggles, kitty litter, sand, sawdust, and plastic and metal trash containers specifically for the purpose.
- Assess the contaminant release site for potential safety issues and for direction of flow.
- The spill area will be kept well ventilated and personnel will wear appropriate protective clothing to prevent injury from contact with a hazardous substance.
- Spills of toxic or hazardous material will be reported to the appropriate State or local government agency as required by State and Local regulations.
- Confined spill kit should be on hand and available.
- With proper training and personal protective equipment, complete the following:
  - Stop the contaminant release;
  - Contain the contaminant release through the use of spill containment berms or absorbents;
  - Protect all drains and/or catch basins with the use of absorbents, booms, berms or drain covers;
  - Clean up the spill;
  - Dispose of all contaminated products in accordance with applicable federal, state and local regulations.

**Measurable Goal(s): Implement the BMP's on 100% of buildings and facilities.**

## **SECTION 3: BMP: VEHICLES AND EQUIPMENT OPERATIONS AND MAINTENANCE PROCEDURES**

**Description:** The Town of Greenland has established procedures for the storage of permittee vehicles. Where practical, vehicles with fluid leaks shall be stored indoors and containment shall be provided. Evaluate fueling areas owned by the permittee or used by permittee vehicles. Procedures have been established to ensure that vehicle wash waters are not discharged to municipal storm drains or surface waters. Procedures have been established as outlined below and in accordance with Section 2.3.7.1.c of the MS4 permit.

**Responsible Department/Parties: Town of Greenland**

## **Training**

Annual maintenance procedures training will be made available to employees involved in Vehicle Equipment operations.

## **Best Management Practices**

The following best management practices (BMPs) will be implemented for all municipally owned or operated vehicles and equipment:

### **3.1 - VEHICLE STORAGE**

- Vehicles with fluid leaks shall be stored in doors or containment shall be provided until repaired.
- Monitor vehicles and equipment for leaks and use drip pans as needed until repairs can be performed.
- When drip pans are used, avoid overtopping by monitoring and changing pans.
- Drain fluids from leaking or wrecked vehicles and parts as soon as possible. Dispose of fluids properly.
- Store and park vehicles on impervious surfaces and/or under cover or indoors whenever possible.

### **3.2 - VEHICLE MAINTENANCE**

- Conduct routine inspections of heavy equipment and vehicles to proactively identify maintenance needs or potential leaks.
- Perform routine preventive maintenance to ensure heavy equipment and vehicles are operating optimally.
- Recycle or dispose of waste properly and promptly.
- Sweep and pick up trash and debris as needed.
- Do not dump any hazardous liquids or other hazardous materials or materials containing other water quality pollutants such as phosphorous, nitrogen outside, especially near or in storm drains or ditches.

### **3.3 - FUELING**

- Fueling areas owned or operated by the municipality should be covered if possible.
- Fueling areas should be evaluated to ensure that pollutants (e.g., gasoline or oil) do not enter the MS4.

### **3.4 - VEHICLE WASHING PROCEDURES**

Outdoor washing of municipal vehicles should be avoided. Vehicle wash waters shall not be discharged to the MS4 or to surface waters without pretreatment prior to discharge.



Where no alternative wash system is available, and full containment of wash water cannot be achieved, adhere to the following procedures:

- Avoid discharge of any wash water directly to the storm drainage system or surface water (e.g., stream, pond, or drainage swale)
- Minimize the amount of effluent water to the extent practicable.
- Where the use of detergent cannot be avoided, use products that do not contain regulated contaminants. The use of a biodegradable, phosphate-free detergent is preferred.
- in areas connected to the stormwater drainage system. Grassy and pervious (porous) surfaces may be used to promote direct infiltration of wash water, providing treatment before recharging groundwater and minimizing runoff to an adjacent stormwater system. Pervious surfaces or other infiltration-based systems should not be used within wellhead protection areas or within other protected resources.
- Impervious surfaces discharging to the storm drainage system should not discharge directly to a surface water unless treatment is provided. The treatment device should be positioned such that all drainage must flow through the device, preventing bypassing or short-circuiting.
- Periodic sweeping and/or cleaning should be completed to prevent accumulation from forming on the washing area.
- Maintain absorbent pads and drip pans to capture and collect spills or noticeable leaks observed during washing activities.

### **3.5 - INDOOR VEHICLE WASHING PROCEDURES**

- Vehicles and equipment should be washed inside whenever possible to reduce runoff to the stormwater system.
- Where the use of detergent cannot be avoided, use products that do not contain regulated contaminants. The use of biodegradable, phosphate-free detergent is preferred.
- Detergents should not be used in areas where oil/water separators provide pre-treatment of drainage.
- Floor drains should be connected to a sanitary sewer or tight tank. Floor drains discharging to adjacent surface water bodies or engineered storm drain systems should be permanently plugged or otherwise abandoned before any vehicle wash activities are completed.
- Designate separate areas for routine maintenance and vehicle cleaning. This helps prevent contamination of wash water by motor oils, hydraulic lubricants, greases, or other chemicals.
- Dry cleanup methods are recommended within garage facilities.
- Maintain absorbent pads and drip pans to capture and collect spills or noticeable leaks observed during washing activities.
- Confined spill kit should be on hand and available.

### **3.6 - HEAVY EQUIPMENT WASHING PROCEDURES**

- Mud and heavy debris removal should occur on impervious surfaces or within

a retention area.

- Maintain these areas with frequent mechanical removal and proper disposal of waste.
- Impervious surfaces with engineered storm drain systems should not discharge directly to a surface water.
- Floor drains should be connected to a sanitary sewer or tight tank. Floor drains discharging to adjacent surface waterbodies or engineered storm drain systems should be permanently plugged or otherwise abandoned before any vehicle wash activities are completed.
- Where the use of detergent cannot be avoided, use products that do not contain regulated contaminants. The use of biodegradable, phosphate-free detergent is preferred.
- Detergents should not be used in areas where oil/water separators provide pre-treatment of drainage.
- Maintain absorbent pads and drip pans to capture and collect spills or noticeable leaks observed during washing activities.

**Measurable Goal(s): Implement the BMP's on 100% of the vehicles.**

## **SECTION 4: INFRASTRUCTURE**

### **4.1 - BMP: CATCH BASIN CLEANING PROGRAM**

**Description:** The Town of Greenland and its contractors performs routine inspections, cleaning, and maintenance of the approximately 135 catch basins that are located within the MS4 regulated area. The Town of Greenland will implement the following catch basin inspection and cleaning procedures to reduce the discharge of pollutants from the MS4.

- Routine inspection and cleaning of catch basins. Catch basins should be cleaned such that they are no more than 50% full at any time. The Town of Greenland will initially inspect all catch basins within the regulated area within two (2) years of the effective date of the permit to evaluate sediment or debris accumulation and establish optimal inspection and maintenance frequencies to meet the “50 percent” goal.
- If a catch basin sump is more than 50% full during two consecutive routine inspections or cleaning events, the finding will be documented, the contributing drainage area will be investigated for sources of excessive sediment loading, and to the extent practicable, contributing sources will be addressed. If no contributing sources are found, the inspection and cleaning frequency will be increased.
- Catch basins located near construction activities (roadway construction, residential, commercial, or industrial development or redevelopment) will be inspected and cleaned

more frequently if inspection and maintenance activities indicate excessive sediment or debris loadings (i.e., catch basins more than 50% full). Priority will also be given to catch basins that discharge to impaired waters.

- The following information must be included in each annual report:
  - Any action taken in response to excessive sediment or debris loadings
  - Total number of catch basins
  - Number of catch basins inspected
  - Number of catch basins cleaned
  - Total volume or mass of material removed from catch basins.

**Measurable Goal(s): All catch basins are cleaned in accordance with the BMP's above such that no catch basin is more than 50% full at any given time.**

#### **4.2 - BMP: STREET SWEEPING PROGRAM**

**Description:** The Town of Greenland will implement the following street and parking lot sweeping procedures to reduce the discharge of pollutants from the MS4:

- All town maintained public streets, with the exception of uncurbed roads, state maintained roads or high speed limited access highways, will be swept and/or cleaned a minimum of once per year in the spring (following winter activities such as sanding)..
- More frequent sweeping will be considered for targeted areas based on pollutant load reduction potential, inspections, pollutant loads, catch basin cleaning or inspection results, land use, impaired waters, or other factors.
- More frequent sweeping is required for municipally-owned streets and parking lots in areas that discharge to certain nutrient-impaired waters. Sweeping must be performed in these areas a minimum of two times per year, once in the spring (following winter activities such as sanding) and at least once in the fall (Sept 1 – Dec 1; following leaf fall).
- For rural town maintained public uncurbed roadways and limited access highways, the Town of Greenland will either meet the minimum frequencies above, or develop and implement an inspection, documentation, and targeted sweeping plan outlining reduced frequencies within two (2) years of the effective date of the permit, and submit such plan with its year one annual report.
- The following information will be included in each annual report:
  - Number of miles cleaned or the volume or mass of material removed.

**Measurable Goal(s): Annually sweep 100% of all town owned curbed public streets and municipal parking lots that meet the criteria noted above, in accordance with the schedule above.**

#### **4.3 - BMP: WINTER ROAD MAINTENANCE PROGRAM**

**Description:** The Town of Greenland will implement the following winter maintenance procedures to reduce the discharge of pollutants from the MS4:

- Minimize the use, and optimize the application of, sodium chloride and other salt (while maintaining public safety) and consider opportunities for use of alternative materials.
- Optimize sand and/or chemical application rates through the use, where practicable, of automated application equipment (e.g., zero velocity spreaders), anti-icing and pre-wetting techniques, implementation of pavement management systems, and alternate chemicals. Maintain records of the application of sand, anti-icing and/or de-icing chemicals to document the reduction of chemicals to meet established goals.
- Avoid exposure of deicing product (e.g. salt, sand, or alternative products) storage piles to precipitation by enclosing or covering the storage piles. Implement good housekeeping, diversions, containment or other measures to minimize exposure resulting from adding to or removing materials from the pile. Store piles in such a manner as to minimize impact to surface water resources, groundwater resources, recharge areas, and wells
- Provide training for municipal employees on winter roadway maintenance procedures.

**Measurable Goal(s): Evaluate at least one salt/chloride alternative for use in the municipality.**

#### **4.4 - BMP: STORMWATER TREATMENT STRUCTURES INSPECTION AND MAINTENANCE PROCEDURES**

**Description:** Structural stormwater BMPs (excluding catch basins) will be inspected annually at a minimum and maintained as needed.

**Measurable Goal(s): Inspect and Maintain 100% of treatment structures to ensure they are properly functioning.**

**ATTACHMENT 1: TOWN OF GREENLAND MUNICIPAL FACILITIES AND PROPERTIES**

**TOWN OF GREENLAND MUNICIPAL FACILITIES AND PROPERTIES**

Map	Block	Lot	Location	Owner's Name:	Total Assessed Parcel Value	Acres	Description
0	17	54	59 BAYSIDE RD	TOWN OF GREENLAND	\$ 221,000.00	2.50	Caswell Park
0	3	15	70 POST RD	GREENLAND SCHOOL DISTRICT	\$ 9,333,600.00	3.54	Central School
0	3	14	80 POST RD	GREENLAND SCHOOL DISTRICT	\$ 192,300.00	0.59	Central School Land
0	3	16	48 POST RD	GREENLAND SCHOOL DISTRICT	\$ 780,600.00	4.80	Central School Property
0	10	26	835 PORTSMOUTH AVE	TOWN OF GREENLAND	\$ 11,600.00	1.55	Conservation Land
0	10	29	927 PORTSMOUTH AVE	TOWN OF GREENLAND	\$ 181,300.00	53.18	Conservation Land
0	10	31	945 PORTSMOUTH AVE	TOWN OF GREENLAND	\$ 15,700.00	7.18	Conservation Land
0	4	37	2 POST RD	TOWN OF GREENLAND	\$ 92,400.00	0.09	Gazebo and Land
0	5	11	541 PORTSMOUTH AVE	TOWN OF GREENLAND	\$ 163,000.00	2.20	Hillside Cemetery
0	1	9	560 BREAKFAST HILL RD	TOWN OF GREENLAND	\$ 583,000.00	58.00	Land
0	1	17	33 BREAKFAST HILL RD	TOWN OF GREENLAND	\$ 15,000.00	0.80	Land
0	1	26	12 MOULTON AVE	TOWN OF GREENLAND	\$ 129,400.00	4.70	Land
0	2	2	31 RIDGECREST DRIVE	TOWN OF GREENLAND	\$ 137,500.00	10.63	Land
0	2	3	139 POST RD	TOWN OF GREENLAND	\$ 11,000.00	1.10	Land
0	2	3	145 POST RD	TOWN OF GREENLAND	\$ 184,000.00	21.85	Land
0	2	5	11 FALLS WAY	TOWN OF GREENLAND	\$ 250,100.00	8.92	Land
0	2	50	25 RIDGECREST DRIVE	TOWN OF GREENLAND	\$ -	5.57	Land
0	2	75	49 SKYVIEW DRIVE	TOWN OF GREENLAND	\$ 177,200.00	4.13	Land
0	2	90	01 WINTER WAY	TOWN OF GREENLAND	\$ -	4.11	Land
0	3	1	15 VALHALLA DR	TOWN OF GREENLAND	\$ 65,300.00	11.32	Land
0	3	8	69 PARK AVE	TOWN OF GREENLAND	\$ 286,400.00	15.00	Land
0	4	1	00 PORTSMOUTH AVE (OFF)	TOWN OF GREENLAND	\$ 135,400.00	1.04	Land

0	6	31	00 TUTTLE LANE (OFF)	TOWN OF GREENLAND	\$ 14,400.00	0.48	Land
0	7	16	00 BREAKFAST HILL RD (OFF)	TOWN OF GREENLAND	\$ 1,200.00	0.12	Land
0	7	18	00 BREAKFAST HILL RD (OFF)	TOWN OF GREENLAND	\$ 1,400.00	0.21	Land
0	8	1	00 OCEAN RD (OFF)	TOWN OF GREENLAND	\$ 28,000.00	11.20	Land
0	8	4	00 OCEAN RD (OFF)	TOWN OF GREENLAND	\$ 5,800.00	2.30	Land
0	8	7	00 OCEAN RD (OFF)	TOWN OF GREENLAND	\$ 50,000.00	20.00	Land
0	8	8	00 OCEAN RD (OFF)	TOWN OF GREENLAND	\$ 10,300.00	4.10	Land
0	8	9	00 OCEAN RD (OFF)	TOWN OF GREENLAND	\$ 47,500.00	19.00	Land
0	8	10	00 OCEAN RD (OFF)	TOWN OF GREENLAND	\$ 43,000.00	17.20	Land
0	8	11	00 MAPLE DRIVE (OFF)	TOWN OF GREENLAND	\$ 1,600.00	0.65	Land
0	8	12	00 MAPLE DRIVE (OFF)	TOWN OF GREENLAND	\$ 60,000.00	24.00	Land
0	8	13	00 MAPLE DRIVE (OFF)	TOWN OF GREENLAND	\$ 31,300.00	12.50	Land
0	8	42	223 PORTSMOUTH AVE	TOWN OF GREENLAND	\$ 79,900.00	0.21	Land
0	9	3	135 TUTTLE LANE	TOWN OF GREENLAND	\$ 3,300.00	1.30	Land
0	10	3	76 HILLSIDE DR	TOWN OF GREENLAND	\$ 11,700.00	0.13	Land
0	13	52	80 TIDEWATER FARM RD	TOWN OF GREENLAND	\$ 35,600.00	2.00	Land
0	14	33	16 OSPREY COVE	TOWN OF GREENLAND	\$ 27,400.00	0.31	Land
0	15	5	00 BAYSIDE RD (OFF)	TOWN OF GREENLAND	\$ 42,900.00	4.90	Land
0	16	3	DEARBORN RD	TOWN OF GREENLAND	\$ 2,600.00	1.03	Land
0	18	3	00 BAYSIDE RD (OFF)	TOWN OF GREENLAND	\$ 7,800.00	1.14	Land
0	20	2	00 OCEAN RD (OFF)	TOWN OF GREENLAND	\$ 91,500.00	36.60	Land
0	20	9	00 OCEAN RD (OFF)	TOWN OF GREENLAND	\$ 800.00	0.82	Land
0	21	3	00 GREENLAND ROAD (OFF)	TOWN OF GREENLAND	\$ 7,400.00	2.10	Land
0	21	7	00 PORTSMOUTH AVE (OFF)	TOWN OF GREENLAND	\$ 11,300.00	4.50	Land
0	5	15	16 TOWN SQUARE	TOWN OF GREENLAND	\$ 1,071,600.00	1.62	Police Station
0	3	20	47 CEMETERY LANE	TOWN OF GREENLAND	\$ 167,400.00	4.20	Prospect Hill Cemetery
0	6	48	2 RIVERSIDE LANE	TOWN OF GREENLAND	\$ 34,100.00	0.26	Rolston Park

0	5	13	11 TOWN SQUARE	TOWN OF GREENLAND	\$ 1,389,300.00	13.90	Town Hall Complex and land, field, etc
0	5	14	15 TOWN SQUARE	TOWN OF GREENLAND	\$ 240,100.00	0.81	Town Maintenance Garage
0	4	36	12 POST RD	TOWN OF GREENLAND	\$ 8,500.00	0.05	Town Park
0	3	19	44 CEMETERY LANE	TOWN OF GREENLAND	\$ 187,700.00	2.90	Transfer Station
0	3	21	103 POST RD	TOWN OF GREENLAND	\$ 178,000.00	1.00	Veterans Park
0	3	18	36 POST RD	TOWN OF GREENLAND	\$ 447,300.00	0.34	Weeks Library
0	6	31	00 TUTTLE LANE	TOWN OF GREENLAND	\$ 300.00	0.12	Wetland

**TOTAL ACREAGE, Town Owned Land**

**414.79**

**Blue = Municipal Buildings, Facilities and Managed Properties**

**White = Conservation Land, Undeveloped Land, Town Parks/Recreation Areas**

**Green – Managed by Cemetery Trustees**